

GasAlert MicroClip XT

Order Sheet

With the GasAlertMicroClip XT's automatic test and calibration system, power options to outlast your shift, one button simplicity and IntelliFlash™ that provides continuous visual confirmation of detector operation and compliance, multi-gas detection is made simple.



Choose any sensor combination for your GasAlertMicroClip XT multi-gas detector, which comes with a battery charger for your specific region. A variety of accessories and spares are available to compliment your detector and suit your application, such as confined space kits, carrying accessories, power options, docking station systems and sampling/testing equipment.

Standard Package Contents

- GasAlertMicroClip XT
- Charger wall plug
- Calibration cap and tubing
- Manual, materials booklet and technical reference guide

Confined Space Kit includes

- Leather carrying case
- IR connectivity kit
- 0.5 LPM regulator
- 3 ft./1 m calibration hose with quick connect
- 10 ft./3 m sampling hose with quick connect
- Sampling probe
- Hard-sided carrying case with lid insert pockets and foam case insert



BW
Technologies
by Honeywell

Wear yellow. Work safe.

<i>GasAlertMicroClipXT 4-Gas Detector</i>	Order Number	
	Yellow	Black
%LEL, O ₂ , H ₂ S, CO	MC2-XWHM-Y-UK	MC2-XWHM-B-UK

<i>GasAlertMicroClipXT 3-Gas Detector</i>	Yellow	Black
%LEL, O ₂ , H ₂ S	MC2-XWH0-Y-UK	MC2-XWH0-B-UK
%LEL, O ₂ , CO	MC2-XW0M-Y-UK	MC2-XW0M-B-UK
%LEL, H ₂ S, CO	MC2-0WHM-Y-UK	MC2-0WHM-B-UK
O ₂ , H ₂ S, CO	MC2-X0HM-Y-UK	MC2-X0HM-B-UK

<i>GasAlertMicroClipXT 2-Gas Detector</i>	Yellow	Black
%LEL, O ₂	MC2-XW00-Y-UK	MC2-XW00-B-UK
%LEL, H ₂ S	MC2-0WH0-Y-UK	MC2-0WH0-B-UK
%LEL, CO	MC2-0W0M-Y-UK	MC2-0W0M-B-UK
H ₂ S, CO	MC2-00HM-Y-UK	MC2-00HM-B-UK
O ₂ , H ₂ S	MC2-X0H0-Y-UK	MC2-X0H0-B-UK
O ₂ , CO	MC2-X00M-Y-UK	MC2-X00M-B-UK

<i>GasAlertMicroClipXT 1-Gas Detector</i>	Yellow	Black
%LEL	MC2-0W00-Y-UK	MC2-0W00-B-UK
O ₂	MC2-X000-Y-UK	MC2-X000-B-UK
H ₂ S	MC2-00H0-Y-UK	MC2-00H0-B-UK
CO	MC2-000M-Y-UK	MC2-000M-B-UK

<i>GasAlertMicroClipXT Region Codes</i>			
For orders outside the United Kingdom, change order number component “-UK” to:			
“-EU”	Europe	“-OR”	Other region with 3-pin UK plug
“-NA”	North America	“-OE”	Other region with 2-pin UK plug

<i>1 Year Extended Warranty Kit</i>	
O ₂ sensor + filter	MC2-WEXT-1Y

To be performed by certified trained personnel. Extended warranty can only be bought with a new instrument at the time of purchase on the same order.

<i>Gas Legend</i>			
%LEL	Combustible	H ₂ S	Hydrogen sulphide
O ₂	Oxygen	CO	Carbon monoxide

Confined Space Kit	Order Number
<i>GasAlertMicroClipXT</i> confined space kit – includes leather carrying case, IR Connectivity Kit, 0.5 LPM regulator, 3 ft. /1 m calibration hose with quick connect, 10 ft./3 m sampling hose with quick connect, sampling probe, and hard-sided carrying case with lid insert pockets and foam case insert. <i>Detector and calibration gas sold separately.</i>	MC-CK-DL
Carrying case for GasAlertMicroClipXT with foam and lid insert	MC-CK-CC

Carrying Accessories	Order Number
Neck strap with safety release	GA-NS-1
Short strap (6 in. / 15.2 cm)	GA-LY-1
Extension strap (4 ft. / 1.2 m)	GA-ES-1
Chest harness	GA-CH-2
Black leather and PVC carrying holster	MC2-LC-1

Power Options and Spares	Order Number
Multi-unit (5) cradle charger	MC2-C01-MC5
Multi-unit power adaptor	GA-PA-1-MC5
12-24 Vdc vehicle power adaptor	GA-VPA-1
12-24 Vdc direct-wire power adaptor	GA-PA-3
Replacement power adaptor	GA-PA-1-UK*

**For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe and “-NA” for North America.*

<i>Datalogging Accessories</i>	Order Number
IR connectivity kit with Soft Tools software	GA-USB1-IR

<i>Sampling/Testing Equipment and Spares</i>	Order Number
Test cap and hose (1 ft. / 0.3 m) replacement	MC-TC-1
<i>MicroDock II -- automatic test and calibration system</i>	
- Base station and <i>GasAlertMicroClipXT</i> docking module with charging cable	DOCK2-2-1C1P-00-G
- Base station and <i>GasAlertMicroClipXT</i> docking module without charging cable	DOCK2-2-1P-00-G
- <i>GasAlertMicroClipXT</i> docking module with charging cable	DOCK2-0-1C1P-00-G
- <i>GasAlertMicroClipXT</i> docking module without charging cable	DOCK2-0-1P-00-G
Auxiliary filter kit (complete with filter adaptor and 5 filters)	MC-AF-K1
Auxiliary filter adaptor (no filters)	MC-AF-1
Auxiliary filter replacement for adaptor, kit of 10	MC-SS-AF-K1
Manual aspirator pump kit with probe (1 ft. / 0.3 m)	MC-AS01

<i>Sensor Spares and Replacements</i>	Order Number
Quad sensor screen filters, kit of 2	MC2-SS
Quad sensor screen filters, kit of 10	MC2-SS-K1
Replacement MICROpeL combustible (LEL) sensor	SR-W-MP75C
Replacement oxygen (O ₂) sensor	SR-X10-C1
Replacement MICROceL hydrogen sulphide (H ₂ S) sensor	SR-H-MC
Replacement MICROceL carbon monoxide (CO) sensor	SR-M-MC
Dummy sensor for combustible sensor location	SR-W-MC-DUM
Dummy sensor for oxygen sensor location	SR-DUMM1
Dummy sensor for toxic sensor locations	SR-TOX-MC-DUM



Due to ongoing research and product improvement, specifications are subject to change without notice.

European Headquarters
 5 Canada Close
 Banbury, United Kingdom
 OX16 2RT
 tel +44 (0) 1295.700.300
 fax +44 (0) 1295.700.301

Europe +44 (0) 1295.700.300
 France +33 (0) 442.98.17.70
 Germany +49 (0) 2137.17.6522
 Middle East +971.4.4505852
 USA 1.888.749.8878

Latin America +55.11.3475.1873
 S.E. Asia +65.6580.3468
 China +86.10.6786.7305
 Australia +61.3.9464.2770
 Other Countries +1.403.248.9226